

What is Core Radionic Analysis and Treatment?

Core radionics is a method of evaluating energy patterns of trauma which have been imprinted upon the soul. Once the core radionic analysis is complete the practitioner will recommend that form of treatment which will best assist nature in restoring harmony to the soul and the whole being. Treatments may consist of homeopathic remedies, flower remedies, color remedies, etc. These remedies are coded information that represent the exact match to the individual's deepest subconscious traumas. The core radionic practitioner may also suggest additional treatments such as core synchronism, colon hydrotherapy, diet changes, etc. The sole purpose of core radionic analysis and treatment is to identify the underlying causative imbalance (trauma) hidden within the subconsciousness of the soul. These hidden patterns of trauma often do not register when standard scientific clinical tests are run to determine the reason someone is suffering. Core radionic analysis and treatment does not replace the services of a competent physician. Core radionic analysis and treatment may be used as a stand alone therapeutic approach to health imbalances or in conjunction with any other form of therapy. The person suffering must try and understand that the reestablishing of health is primarily their own responsibility. Nature has laws and ways of healing all of our afflictions. We all would benefit by learning how to assist and live with the established laws of nature. As Hippocrates (the father of modern medicine) stated so eloquently "Nature is the healer of all disease."

Addendum:

Core Radionics is analysis and treatment of the space within the vertical core current. This is the true subconsciousness of the whole being. Within this space there is stillness, calmness and peace. Yet, within this space there are also layers of chaos. Chaos of multiple patterns of trauma. This is the source of all serious blockages. Chaos that is not allowing the individual to experience balance, stillness, calmness, peace, freedom from pain, etc. Chaotic trauma that is the root of pathology. This traumatic chaos effects the whole. This traumatic chaos is what is being analyzed and treated with Core Radionics. This trauma is also able to be released via advanced core synchronism treatments. The difference between core treatments and core radionics is that when doing core the chaotic patterns are unable to be specifically identified, just released. Core radionic analysis allows for the identification of the chaotic trauma patterns and the matching of these patterns with the specific simillimum. This in turn allows for healing to take place over longer periods of time or the length of time the simillimum is being projected or ingested.

The discovery of the space within the vertical core current took place while giving core treatments. After making these healing journeys many times it occurred to me that this journey could also be adapted to the Rae Radionic System. I conceived of how the pattern energy of the vertical core current could be represented in the geometric language developed by Malcolm Rae. The good folks at Geometric Applications understood the description I sent them and presto the vertical core card was given birth.

My history using the Rae system (since 1979) has always been used as a tool to access the deepest possible level of our whole being. The discovery of the space within the vertical core current has led to the understanding that this space represents the deepest aspect of our subconsciousness. This is where the patterns of trauma are buried. These chaotic trauma patterns are now accessible in two ways: core

synchronism hand treatments and core radionics. Imagine what happens when they are used together.

As a result of this the emphasis of both methods is centered on the clearing and healing of the deep space subconsciousness within the vertical core current. Using the tool of core radionics I no longer treat any other structure. The card used in the location slot of the Rae Analyser is always the same, Vertical Core Space. Never varies. Why would it? This has been the quest for these past decades. To access and treat the deepest aspect of our being. Having reached this shore why go backwards. Always move forward toward deeper understanding and skill based on practice. If there is additional insight I will of course do my best to share with those interested.

The attempts at understanding all this has been continuously helped by this:

Chapter 11:

Thirty spokes unite in one hub;

It is precisely where there is nothing, that we find the usefulness of the wheel.

We fire clay and make vessels;

It is precisely where there's no substance, that we find the usefulness of clay pots.

We chisel out doors and windows;

It is precisely in these empty spaces, that we find the usefulness of the room.

Therefore, we regard having something as beneficial;

But having nothing as useful.

Lao-Tzu Te-Tao Ching

A New Translation Based on the Recently Discovered Ma-wang-tui Texts.

Translated, with an introduction and commentary by Robert G.
Henricks

Peace,

Robert Stevens NTS

HOMOEOPATHY UP TO DATE

by

Malcolm Rae

HOMOEOPATHY UP TO DATE

Malcolm Rae

In accepting an invitation to write this article on Homoeopathy, I realised that since it must describe methods which I have discovered or helped to discover, and equipment which I have designed, it would be a little difficult to prevent it seeming dogmatic.

I must, therefore, waste no time in stressing that most of the following will express my present opinions, which to the best of my current belief are sound. To avoid cumbersome repetitiveness, I offer this explanation once only, to cover the whole article.

Opinions have grown from the combination of thought and radiesthetic investigation, and not from reading, for which, regrettably, I can find little time. This means that I may inadvertently describe something as if it were original, when in fact it has been previously described by another investigator. If so, I offer my apologies in advance – it was original *for me*.

When Dr. Hahnemann first formulated the concept of Homoeopathy, he gave to the world an extremely effective system of therapy, which has survived the test of time incredibly well – for time has been very unkind to it.

Since the system was first developed, the number of stresses to which man has subjected himself has multiplied many times.

The concept is none the less valid in spite of the extra complications in which it has become involved – but every new threat to human health requires its similitum – and it does require of the practitioner much greater skill in the selection of remedies, and an enormously more extensive range of remedies from which to select.

The trained radiesthetic sense, aided by a suitable instrument, can be of great assistance in remedy selection, but that is not the subject of this article, which is concerned with the remedies themselves.

For the practitioner to be prepared to meet any requirement immediately would necessitate an enormous stock of remedies, each in a range of potencies. This would entail extensive storage space, and at present prices, a not inconsiderable capital investment.

I cannot claim that the foregoing considerations resulted in my searching for methods of preparing Homoeopathic remedies, other than the customary series of alternating succussions and dilutions: but having stumbled upon an alternative method, I readily recognised its potential.

This alternative method, which I have called “Magneto-geometric potency preparation” came about in the following manner:-

Radiesthetists frequently use a 100 cm. rule, along which to measure the “potency energy” of a sample of a remedy. With the sample located at the “zero” end of the rule, they move the pendulum along the rule from left to right, noting the point at which the pendulum swings exactly at right angles to the rule. This point indicates a relative potency energy. (Figure 1).

It occurred to me that the point of balance thus detected is, in fact, the “boundary” between the remedy’s local energy field, and a component of the earth’s magnetic field, and this view was to some extent corroborated by the observation that measurements made with the rule differently orientated in relation to the terrestrial field yielded different balance points.

This led to a series of measurements being made in respect of several different remedies, using the remedy vial as the central point, and finding the balance point along the rule, with it pointing in turn to each of the Cardinal and half Cardinal points of the compass. The results of these measurements were then plotted on polar graph paper, and the adjacent points joined by straight lines to form a geometric pattern related to each remedy. Each point was found to be solely related to one remedy.

If the interaction of the remedy's energy field with the earth's field resulted in a pattern related to the remedy, it seemed not unlikely that the interaction of the earth's field and the pattern could be used to create a replica of the remedy: and experiments proved this to be the case.

An interesting point then discovered was that the alignment of the pattern with the orientation in which it had been drawn resulted in the replica being of a very high potency (theoretically, infinite potency), whilst the greater the degree of misalignment the lower the potency replicated. From this, a scale was developed, against which to set the pattern to the required potency. At that time - 1966 - a number of patterns related to remedies were prepared, each drawn on a circular disc orientated North - South, and a few experimental instruments were constructed. The remedy discs were similar to those depicted as Figure 2, and the "instruments" approximately as shown in Figure 3.

Tests made with a number of remedies prepared in this manner indicated them to be radiesthetically matched with conventionally prepared remedies: and their effects upon those taking them appeared to be similar: and, in fact, they were encouraging enough to stimulate the consideration of a less crude instrument. Amongst a number of obvious shortcomings in the initial design, it seemed imperative that the following should be eliminated:-

- (a) circular remedy cards would be costly to produce, inconvenient to store, and would restrict the diameter of the vial used which must be the same as the hole in the card.
- (b) the use of the earth's field as an energiser meant that the instrument must be correctly orientated, for were it misorientated, it would yield a potency other than that indicated on the scale.

To overcome the former, experiments were undertaken to discover whether the influence of the energised pattern could be guided along a wire from the centre of the drawing to the base of a cylindrical container into which a vial could be placed. These experiments confirmed that this could be done, with the result that the pattern could be located vertically, and thus be removed from the relevant effects of the earth's field.

Further experiment showed that the earth's field could be replaced by that of a small permanent magnet: and hence it became possible to enclose the instrument in a suitable case. During the investigations, it had been discovered that a card bearing a circle, magnetically energised, would erase the pattern from a potentised medium placed within the circle: and also that it would erase the potency energy from a conventionally prepared Homoeopathic remedy. The potency could be restored to the conventionally prepared remedy by succussion, without the addition of further substance: whereas all record of the remedy was erased from a magneto-geometrically prepared remedy. It was therefore decided to incorporate a "neutraliser" in the form of a magnetically energised circle, which could be switched to the base of the cylindrical vial container, which became known as the "well".

Energised by a permanent magnet, the vertically located pattern resulted in the production of energy of "infinite potency", which, due to circuit losses, was reduced to slightly above 10MM. From this varying amounts of energy had to be drawn off, to yield the required potency at the base of the instrument's well.

It was found that this control of potency could be achieved by a proportional divider, for which purpose an ordinary radio potentiometer is suitable. The latter could be set against a scale marked with the customarily used potencies - or, of course, at any point between them: and to just the degree that accuracy of potencies is important, this facility for selecting intermediate potencies by interpolation is valuable.

The gradations of the potency scale were set up to correspond with averages of stated potencies of new, previously unopened, remedies from various Homoeopathic chemists.

The sizes of division on the scale furnish an indication of the relative potency energy field of the various potencies: whereas the numbers by which they are customarily described merely indicate the number of stages of dilution and succussion involved in their preparation.

Thus, the energy field of a 200C is only about twice that of a 30C, and that of a 1M is about twice that of a 100C.

The Mark I potency simulator, contained in a wooden case, was constructed to incorporate the results of the foregoing researches, and a number of these were made and tested over a period of two years before being superceded by the first "production model", - the Mark II - which was similar, except that the case was entirely of perspex.

It should be explained that the term "potency simulator" rather than "potentiser" or "potency maker" was adopted, because, whilst the instruments prepared remedies which apparently exerted exactly the same effect upon a patient as did their conventionally prepared counterparts, it was not then known whether any difference beyond the method of preparation, did, in fact, exist.

Interest in this model, largely from overseas, led to the design of a compact version - the Mark III - which has the advantage of a larger detachable well, for which it uses a standard size vial of 88 cc capacity, thus enabling stocks of remedies to be prepared in the containers in which they are to be stored, and of the absence of all switching, the instrument being so designed that it "potentises" whenever there is a remedy card in the slot, and "neutralises" if there is no card in the slot. It is depicted as Figure 4.

Whilst the instruments were undergoing development, so too were the remedy patterns. The original circular design has been superceded by rectangular cards which fitted into a slot in the top of the instrument, and bore the remedy pattern in an improved form (Figure 5). The transition from the earlier to the later forms occurred when it was discovered that the patterns could be drawn using arbitrary orientations of the rule as already described, or by selecting a fixed point on the rule and slowly rotating it degree by degree, and marking the orientations at which the pendulum swings at right angles to the rule over the selected point. The latter proved to be the more convenient method.

Furthermore it was found that the lines joining the points on the original patterns were unnecessary, the points themselves being the operative factors. Data for cards is obtained radiesthetically, using the constant formula:- *"The ascending series of angles, each expressing to the nearest whole degree of arc, between the vertical radius representing no degrees from the centre of the potency simulator diagram, which solely represents (name of remedy), in such a way that a perfect potency of it may be prepared in the potency simulator for which the card is designed"*.

To this formula, expressed as a symbol, the brain will respond in the same way as it responds to other symbols which instruct it how to think about a given subject, as, for example, a "£" sign, which tells the reader how to regard the numeral which follows it. When the reader sees "£5", he will hardly be aware of the "£" sign, which nevertheless controls the context in which he considers the "5".

Informative symbols of this type can be described as "operators", and the formula for finding the data for simulator cards, has been crystallised into an operator, to ensure that whilst dowsing for the cards' data, the dowser's thoughts are influenced only by the precise definition of the data he requires.

Data having been obtained, a master card is drawn, using the degree marks of a much larger circle than those printed on the production cards, in order to produce greater accuracy. The production cards are then printed photographically from the master card.

Each card may require up to 6 partial radii, and it is interesting to note that combinations of 6 radii

drawn to an accuracy of 1 degree of arc, amount to 467, 916, 713, 911, 200 – so there is no likelihood of shortage of representation space.

More elaborate models of the simulator have been developed, but with one exception, which will be described later, they all employ the same principle. The information which has led to these instruments does not depend upon the application of any theoretical knowledge previously known to the writer – and in an attempt to make the process by which the remedies are prepared seem a little less “improbable” the following model of how it might operate, is offered:-

The process depends primarily upon the capacity of water to accept and convey any magnetically energised pattern which is appropriately applied to it. This peculiarity enables water to be “potentised” – or charged – from a geometric pattern representing any remedy, and to become the equivalent of a “potency” of that remedy.

An interesting observation is that any substance can be charged with its own potency energy, but water, alone, can be charged with the potency energy of any other substance.

The best analogy available is this:-

- (1) Imagine a plan view of two concentric cylindrical open-topped tanks each almost full of water. Imagine that the outer tank has entering it a pipe from a pump which rhythmically increases and decreases the pressure inside it. (Figure 6).
- (2) Under such circumstances, the water in the outer tank will be disturbed by pressure waves, from which the water in the inner tank will be screened by its cylindrical construction.
- (3) Now imagine a short length of pipe extending towards the centre of the inner tank from a hole in its side. From the inner end of the pipe, ripples will be formed. (Figure 7).
- (4) Add a second length of pipe from another hole in the side of the inner tank, and ripples will emerge from it, to mingle with those from the first pipe, forming an interference pattern. (Figure 8).

In the foregoing analogy, the pulsating water in the outer tank represents the pulsations attributed to the magnet, and the inner tank and pipes represent the simulator card, on which printed lines are able to carry the magnetic pulsations.

The interference pattern is not affected by size, but is dependent solely upon proportion: and it may be compressed into a connection from a point at or near its centre, and lead to a circular disc, wherein it expands to cover the area of the disc. A vial of water, standing on the disc, will become charged with the pattern of the card – as long as the vial holding the water is cylindrical in shape.

The pattern within the circle is a function of the following factors:-

- (1) The nature of the vibrations applied to it.
- (2) The number of partial radii.
- (3) The relative lengths of the partial radii.
- (4) The angular distance apart of the partial radii.

However, since the magnetic vibrations employed are a facet of the Universe, they may be regarded as constant, and by making all the partial radii the same length, the pattern becomes dependent only upon the number of partial radii, and the angular distance between them.

Excluding surgery, manipulation, and methods involving direct adjustment of the patient's physical body, there appear to be no more than two basic ways in which a therapist can influence him. He can introduce into the patient coded instructions designed to remind him what to do to remedy his disorders (which would include all oral remedies other than food supplements), and he can provide him with the material substances required by his organism to fulfil those instructions. All Homoeopathic remedies, however prepared, above about 12C potency, and all magneto-geometrically prepared remedies, regardless of potency, are solely coded message bearers, and nothing else. They do not contain the material, but only the information pattern of the substance they represent.

It must be stressed that exact equivalents of conventionally made Homoeopathic remedies below 12C, or of tissue salts, cannot be made by magneto geometry: for whilst it can replicate the thought which defines the material, it cannot create the material.

In practise, it appears to be the "message" only which is required for most administrations of even low potency preparations – but the limitation must not be overlooked.

Outside of that limitation, magneto-geometric preparation has a number of advantages, and no disadvantages known to me. Amongst the advantages are the following:-

- (1) Remedies prepared by magneto-geometry are consistently as accurate as the standard to which the cards are drawn. They cannot vary due to variations in mother tinctures. Nor can they be influenced by the substance of the containers in which they were potentised.
- (2) Regardless of the potency required, only one process is needed, occupying a maximum of 6 minutes. This removes all liability of error which might occur in the long sequence of processes, and it enables high potencies of new remedies to be prepared in minutes.
- (3) To prepare remedies, such as Oxygen M, which would be difficult if not impossible to prepare by succussion-dilution, is no problem. Hence the range of remedies available to the Homoeopath has been greatly extended by the development of the magneto-geometric method.
- (4) The ability to prepare a remedy within minutes relieves the practitioner of the need to carry large stocks, and enables him to provide a remedy or potency which he does not have in stock, without having to order it and await its arrival. Moreover, instruments are small enough for a visiting doctor to carry one, together with a suitable selection of cards, on his rounds.
- (5) The cost of each card, from which an unlimited quantity of the remedy, in any potency, may be prepared, is only about the same as the cost of the smallest vial of a manufactured remedy.
- (6) The list of Homoeopathic remedies for which cards are available exceeds 2,000, and continues to increase in response to requests for remedies not yet listed.

Consideration of these advantages focusses the attention upon two serious weaknesses in the descriptions applied to Homoeopathic preparations. These are:-

- (1) As previously observed, the number used to describe the potency of a preparation does not describe the preparation itself, but relates only to the number of stages of succussion to which it has been subjected, and the degree of dilution at each stage. It is, then, little wonder that radiesthetically competent Homoeopaths have not infrequently observed differences between remedies bearing the same description, from different manufacturers – for the actual potency is dependent upon many factors, amongst which are:-
 - (a) The number of stages of succussion and dilution.
 - (b) The number of succussions per stage.

- (c) The degree of dilution per stage, which is normally standardised to one in ten parts or to one in one hundred.
- (d) The violence of the impact of each succussion.
- (e) The orientation of travel prior to that impact.
- (f) The length of travel prior to that impact.

There are probably other factors, but the foregoing are enough to render it obvious, that unless all were standardised throughout all manufacturers, differences in products would surely occur.

- (2) The second weakness to which I would refer is an overlooked factor which might be described as "the quality of the remedy", and the most suitable analogy by which to illustrate it is electrical. Two definitions normally applied to a Homoeopathic remedy are:-
 - (a) The substance from which it is prepared, which might be called its "characteristic".
 - (b) Its potency, which might be regarded as its "voltage".

The "characteristic" of a car battery could be described as "direct current electro motive force", and its voltage would probably be nominally twelve measured when the battery is not connected to a circuit which is drawing power from it. However, the time throughout which a battery will remain at twelve volts when apparatus connected to it is drawing on its content, is called its capacity, and is expressed in ampere-hours. The number of ampere-hours available will depend on the size of the battery, and the amount of charge which it is holding. Together, these two factors might be termed its "quality".

When an oral remedy is taken by a patient, it is similar to a little battery from which is drawn the patient's requirement. If the remedy is of poor quality, the patient's requirements soon discharges it, and renders it ineffectual. If it is of high quality, however, it will be better able to meet the patient's needs.

The quality of a succussion-dilution prepared remedy is probably dependent upon the factors which I have enumerated, or at least upon some of them. Observation of Dr. Hahnemann's instructions produced a high quality remedy. The quality of a remedy may be measured radiesthetically, on a 100 cm. rule having a circular disc at the zero end. The remedy is placed upon the disc, and the extent of the energy field along the rule is measured with a pendulum. A magnet is brought close to the edge of the disc at the same instant that a stop watch is started, and the magnet will start to neutralise the remedy and reduce its field. A continuous check on the measurement along the rule is made, until it has reached exactly half its original measurement, at which times the watch is stopped. The time which has elapsed whilst the reduction in measurement has occurred may be regarded as the half life of the remedy under those circumstances, and the longer it is, the better is the remedy's quality.

If standard comparative measurements are to be made in this manner, it is of course necessary to have the rule correctly orientated and remote from ferrous metal: it is necessary to use a standard size and material of disc, and it is necessary to use a standard magnet always identically placed: but Homoeopaths with radiesthetic sensitivity may make relative comparisons of remedies from their own stocks by the simple method I have outlined.

Remedies prepared by the efficient application of magneto-geometry will be found to have about the highest "capacity" available, and may, amongst other positive characteristics, be expected to possess a commensurately long "shelf life" should the need arise to store them.

Earlier in this article, mention was made of an instrument which will prepare remedies from substances, or from existing potencies of substances, without the use of geometric cards. This is illustrated as figure 9, and functions by the application of magnetism to a sample of the substance from which the potency is required: or by the application of magnetism to any potency of that substance. It does not supercede the potency simulator, but rather it is complementary to it - for whilst the former can prepare potencies of substances for which the user possesses none, the latter will

immediately prepare a potency of any substance which he does possess. It renders auto-therapy much more workable than it has previously been, for a potency can be made within a few minutes, from a sample of a patient's blood, urine, or sputum.

It enables the practitioner to prepare, immediately, highly individualistic remedies sometimes required for treating allergies.

Not only will it prepare any potency from any substance, but it will prepare any potency from any other potency of that substance. For example, if Gelsemium 30 is available, and Gelsemium M is needed, or visa versa, the required potency may be prepared from that which is already available.

In conclusion, it should be stressed that whatever weaknesses exist in the theoretical understanding of magneto-geometric remedy preparation, the system has been well tried by many Homoeopaths. There are around 1,000 instruments currently in use, in 19 different countries, and an ever-increasing demand for additions to the already 2,000-strong card repertoire.

Fig. 1




Fig. 2

Circular potency simulator card representing *Argentum Nitricum*




Fig. 3




Fig. 4




Fig. 5
Melitagrimum





Fig. 6






Fig. 8





Fig. 9



Is the most severe pattern of imbalance within the vertical core current space located in the left, central or right portion of scale 2?

What is the most severe pattern of imbalance within the vertical core current space?

What system of medicine contains the simillimum?

What is the simillimum?

Clockwise movement of the pendulum indicates a positive or yes response to a question. A counterclockwise spin indicates a negative or no response to a question. All other movements of the pendulum are neutral.

Analysis:

The goal of analysis is to fill the location slot and the factor slot with the earliest detectable factor/factors imprinted upon the vertical core current space and to achieve a clockwise pendulum swing on No Detectable Prior Factor. Upon answering one additional question (#4) the analysis portion is complete.

Step #1:

Vertical Core Current Space card placed in Location Slot

(Correction switch off, Location and Factor switch on)

Step #2:

Question #1

Is the most severe pattern of imbalance within the vertical core current space located in the left, central or right portion of scale 2?

(Hold the pendulum over the witness or over the appropriate portion of the analysis chart, scale 2)

Question #2

What is the most severe pattern of imbalance within the vertical core current space?

(Concentrate on the names of the factors indicated in the left, central or right portion of scale 2 from question #1) (Say the factor name/ names silently or out loud)(Hold the pendulum over the witness or over the appropriate portion of scale 2)

The location slot is filled with the vertical core current space card, the factor slot is now filled with the appropriate factor/factors (If there are more than four factors the additional factor cards may be placed under the witness with the geometric pattern facing toward the witness)

Question #3

What is the next scale of reference? Scale #2

(If the answer is yes indicating scale #2 then repeat question #1 and #2 to determine the factor that was missed) (place that factor in the factor slot or under the witness)

If the answer is no then hold the pendulum over NO DETECTABLE PRIOR FACTOR and repeat these words. The pendulum will swing clockwise. The analysis portion is now complete save for one additional question which is #4.

Question #4

What is the % of the factor/factors imprinted upon the vertical core current space ?

(Hold the pendulum over the witness or over scale 6. Concentrate or say out loud %'s in increments of 10, example between 100% and 90%. Sample question: What is the % of damage, shock, grief imprinted upon the core mother template? Answer is between 100 and 90%. If you

would then desire a specific % answer ask the question again using each % of the indicated range. Sample question: What is the % of damage, shock, grief imprinted upon the vertical core current space? 100%, 99%, 98% etc. Stop when the pendulum swing is clockwise indicating the specific %.)

Replace Analysis Chart with Treatment Chart

The goal of treatment is to identify the simillimum and to get a zero percent reading of the factors imprinted upon the vertical core current space in relationship to the simillimum.

Question #5

What system of medicine contains the simillimum ?

(Hold the pendulum over the witness or over the names of the different systems of medicines. When the first system is indicated by a clockwise spin stop. Take those cards out of your card file and lay them out so each card name is visible or make lists of the cards in any given system of medicine. For example, there are 12 cards in the Dinshah Color system so make a list of the 12 cards and use that list to determine what is the simillimum.)

You are only checking these systems for the simillimum: Gem, Color, Flowers, Homeopathy, Schussler, Chromatic Scale, Command, Acupuncture.

Question #6

What is the simillimum ?

(Hold the pendulum over the witness as you concentrate or say out loud the specific names of the indicated system. Example: The indicated system from question #1 was color. The color cards are laid out on the list of color medicines, so each color name is visible. What is the simillimum ? Blue, Red, Yellow, Green, etc. The pendulum spin is clockwise after saying green. Stop. The simillimum is the color green.)

Put the simillimum card in the correction slot and turn on. The dial under the correction slot is set to 10mm.

This is how the instrument appears now;

The factor slot is filled, switch on. The location slot is filled, switch on. The correction slot is filled with the simillimum card, switch on, dial set to 10mm.

Question #7

What is the % of factor/factors imprinted upon the core mother template in relationship to the correction ?

(Example: Hold the pendulum over the witness or over scale #6. Then ask; What is the % of damage, shock, grief imprinted upon the vertical core current space in relationship to the color green ? The pendulum swings positive over 0%! This indicates that the simillimum has been identified and has the ability to reduce the factors imprinted upon the vertical core current space to zero percent. The treatment goal has been achieved !)

The % must be ZERO. If the simillimum has been discovered then continue with the next question (#8). If the simillimum has not been

discovered then ask question #5 again with the first remedy card discovered within the correction slot, switch on, dial set to 10mm. When the next system of remedies is discovered ask question #6 again. Place the card discovered from question #6 in the correction slot in front of the previous card or in back, does not matter. Ask question #7. Keep doing this until arriving at ZERO %. Please remember that the true simillimum will always have to be ZERO %. My preference is to use as few remedies as possible. One remedy is ideal. There will be times when the simillimum will actually be more than one card. It is possible for the simillimum to consist of two different medicines from two different systems of medicines.

Question #8

What is the optimal method of administration of the simillimum ?
Oral or Projection.

Question #9

What is the optimal potency of the simillimum ?

Check for a positive spin for the neutral potencies first. They are 5x, 5c, 50c, 100c, 500c, 1m, 50m, 5mm.

If there is no positive spin indicating one of these potencies then use the treatment chart and go thru 1x, 2x, 3x, etc. If no positive spin then use the next part of potency 6c, 12c, 30c, etc.

Note: If you do not have an instrument to make x potency medicines then do not ask for the x potencies. Only work from 6c and higher.

This applies to the neutral potencies as well. Do not ask if 5x is the indicated potency if you are unable to make a medicine in that potency.

Question #10

If oral is indicated:

How many doses per day ?

1, 2, 3, etc.

Question #11

How many dose days are required for the simillimum to cure ?

1, 2, 3, etc.

Question #12

What is the forecast interval between dose days ?

Hours, days, weeks, months.

If projection is indicated:

Question:

What is the optimal length of time to project the simillimum for cure ?

Hours, days, weeks, months

Question #13

Is there any additional therapy required at the present time to assist the simillimum in achieving cure ?

If this is indicated what you are looking for are systems that will assist the simillimum, not another simillimum. For example, core, colonics, enemas, nutritional supplements, etc.

Fini !!

Homeopathy Two:

Chart One:

Sulphur
Calcarea Carbonica
Lycopodium
Pulsatilla
Nux Vomica
Apis
Lachesis
Belladonna
Mercuris vivus
Bryonia alba
Rhus toxicodendron
Arsenicum album
Natrum muriaticum
Ignatia amara
Sepia
Arnica
Hepar sulphuris calcareum
Causticum
Chamomilla
Thuja

Chart Two:

Ipecacuanha
Phosphorus
Cuprum
Platinum
Aurum
Plumbum
Silicea
Conium
Digitalis
Coffea cruda
Antimonium
Staphysagria
Iodum mettalicum

Ferrum phosphoricum
Ferrum metaallicum
Colocynthis
Graphites
Psorinum
Syphilinum
Tuberculinum



Chart Three:

Medorrhinum
Lyssinum
Veratrum album
Opium
Aconitum
Allium cepa
Baryta carbonica
Dioscorea villosa
Cannabis sativa
Aloe socotrina
China
Argentum nitricum
Alumina
Antimonium tartaricum
Antimonium crudum
Magnesia phosphorica
Aesculus hippocastanum
Magnesia muriatica
Magnesia carbonica
Magnesia sulphurica
Acidum nitricum
Acidum picricum
Acidum sulphuricum
Acidum muriaticum
Acidum fluoricum
Anacardium
Naja tripudians
Natrum carbonicum
Natrum sulphuricum
Natrum arsenicum

Mercurius corrosivus
Mercurius iodatus flavus
Kali carbonicum
Kali bichromicum
Kali phosphoricum
Kali sulphuricum
Kali bromatum
Kali iodatum
Kali nitricum

Chart Four:


Bellis perennis
Berberis vulgaris
Carbo vegetabilis
Carconosinum
Calendula officinalis
Hydrastis canadensis
Hypericum perforatum
Quadruple nosode



Cards and instruments are
available at:

magnetogeometrics.co.uk

ANALYSIS



TREATMENT

5x 5c 50c 100c 500c 1m 50m 5mm

